



SPRAY BOTTLES

- Automotive and industrial applicator for Lanotec liquid lanolin products
- Chemical applicator for the garden
- Chemical pest sprayer
- Spray under and around objects using the adjustable brass nozzle
- Stream through to mist



Available in 750ml, 1.5 litre, 8 litre and 18 litre backpack




Proudly Manufactured by
 Lanotec Australia Pty Ltd
 ABN 87 096 795 621
 PO Box 360 Archerfield
 Qld 4108
 +61 07 3373 3700
 info@lanotec.com.au
 WWW.LANOTEC.COM.AU



Lanotec (Thailand) Co., Ltd.
 2/3 Moo4 Nongplalai,
 Banglamung, Chonburi
 20150
 +66 82-941-6469
 email: info@lanotec.com
 WWW.LANOTEC.COM



official dealer/distributor



Natural products for
 PROTECTION
 PENETRATION
 LUBRICATION
 DEGREASING
 ANTI-SPATTER

NATURAL • ENVIRONMENTAL • SUSTAINABLE



LANOTEC

Lanotec is a 100% Australian owned manufacturer of premium quality, environmentally friendly, all natural & biodegradable workshop consumables and has been supplying the Australian market for over 25 years.

Not only are our range of Lubricants, Penetrants, Corrosion Inhibitors and Degreasers - the safest and most versatile in the market, they are specifically manufactured to outlast and outperform the competition.

GREASE



TYPE 'A' GREASE
A certified food-grade lubricant lanolin grease.

DE-GREASER • CLEANER



CITRA-FORCE
An industrial-strength cleaner and natural degreaser.

X- RANGE



MPX
A multi-purpose lubricant and penetrant.



MGX
A marine lubricant and penetrant.



EGX
An electrical lubricant and penetrant.

SPECIALIST



TIMBER SEAL & TIMBER SEAL PLUS
Timber protectors and moisture repellent.



STEEL-SEAL™
A high-performance corrosion inhibitor.

PENETRANT • LUBRICANT • PROTECTOR



GENERAL PURPOSE
A lubricant and corrosion inhibitor.



HEAVY DUTY
An Industrial lubricant and corrosion inhibitor.



ANTI-SPATTER
A welding protector and lubricant.



WIRE ROPE LUBE
An industrial cable lubricant.



RELEASE AGENT
Ready-to-use and concentrate.

MPX

ULTIMATE MULTI-PURPOSE LUBRICANT

Lanotec MPX is the safe and natural product to use around the home, garden, workshop or wherever you need a proven lubricant or penetrant



- Long lasting lubricant
- Penetrant – frees up rusted tools, nuts and bolts and more
- Stops squeaks, lubricates door hinges, trolley/bike wheels, chains, frees up locks
- Repels moisture while preventing water ingress
- Removes grease, oil and exhaust carbon
- Protects tools and metal surfaces from corrosion
- Non-toxic
- Natural, SAFE lanolin based
- Contains no silicone
- Resists wash-off
- Lubricates and protects power tools
- Rejuvenates vinyl, leather and powder coated surfaces
- Cleans and protects your work boots

... and much more

Available in 300g aerosol,
600ml spray pack and 5 litre bulk pack



NATURAL • ENVIRONMENTAL • SUSTAINABLE



MGX

ULTIMATE MARINE GRADE LUBRICANT

Lanotec MGX is the safe and natural product for wherever extreme protection and lubrication is required in the harsh marine environment



- Lubricates:
 - Steering cables, inboard leg, outboard bracket, hinges
- Spray on long-term corrosion protection for:
 - inboards, outboards, electronics, cables
 - Engine mounts, pumps,
 - Crevice corrosion
 - Prevents galling of dissimilar metals
 - Protects wiring and connectors (non-Conductive to 70kV)
 - Canopy frames
- Corrosion and moisture protection for internals of electrical cabinets and battery terminals.
- Resists wash-off.
- Spray on anti-seize.
- Penetrates, lubricates & protects wire ropes, linkages & shackles, trailers & winches
- Salt Spray Tested to AS2331.3.1.
- Safe on rubber and plastics

Available in 300g aerosol,
600ml spray pack and 5 litre bulk pack



NATURAL • ENVIRONMENTAL • SUSTAINABLE



EGX

ULTIMATE ELECTRICAL GRADE LUBRICANT

Lanotec EGX is the safe and natural product for wherever protection and lubrication is required in the electrical environment



Available in 300g aerosol,
600ml spray pack and 5 litre bulk pack


- Lubricates:
 - Cable pulling lube
 - Cabinet hinges
- Spray on long-term protection for:
 - Electronic components (non-Conductive to 70kV)
 - Circuit boards
 - Connections and terminals
 - Cables
 - Air conditioning units; compressors, circuit boards
- Electrical cabinets
- Protects electrical components in reticulation systems - solenoids, relays, control boxes
- Corrosion and moisture protection for internals of electrical cabinets and battery terminals.
- Escalator components
- Automatic door mechanisms and electrics
- Protects wiring and related connectors
- Spray on anti-seize for locks, nuts and bolts
- Penetrates, lubricates and protects wire ropes
- Salt Spray Tested to AS2331.3.1.
- Resists wash-off.



NATURAL • ENVIRONMENTAL • SUSTAINABLE



GENERAL PURPOSE



GENERAL PURPOSE LIQUID LANOLIN

Lanolin is a renewable resource

- Protects and lubricates machinery, metal surfaces and light chains
- High temperature penetrant
- Frees up rusted tools and lubricates mechanisms
- Stops squeaks in door hinges and frees up locks
- Drilling and cutting aid
- Protects circuit boards, switch gear and ECU's with a wax coating.
- Non-conductive to 70kV.
- Inhibits oxidation and salt
- Rejuvenates vinyl, leather, plastic, fibreglass & powder coated surfaces.
- For all marine equipment (inboard and outboard motors) and electrical hardware protection against the corrosive effects of salt water and chemicals.
- Salt Spray tested to AS2331.3.1.
- Meets requirements of Mil-Spec MIL-C-16173 (Class II Grade 2 or 3)
- Resists high pressure wash-off.

ENVIRONMENTAL SOLUTIONS

- non DG
- non toxic
- food grade
- biodegradable
- salt & acid resistant
- environmentally certified
- silicon free

**STOPS SQUEAKS • PROTECTS TOOLS & ELECTRICAL EQUIPMENT • REPELS MOISTURE
LOOSENS RUSTED COMPONENTS • CUTTING & DRILLING LUBE**

Available in 300g aerosol,
600ml spray pack, 5 and 10 litre bulk pack



NATURAL • ENVIRONMENTAL • SUSTAINABLE



HEAVY DUTY

HEAVY DUTY LIQUID LANOLIN

Lanolin is a renewable resource

- Excellent corrosion protection in harsh environments including marine, outboard motors, powerheads and pumps.
- Spray on corrosion protection for long-term storage protection for machinery and metal surfaces, reduces maintenance.
- Ideal for machinery operating in fertilizer and aquaculture environments.
- Corrosion and moisture protection for internals of electrical cabinets and battery terminals.
- Spray on anti-seize.
- For all industrial high speed and load bearing chains. (Non-fling & webbing).
- Penetrates, lubricates and protects wire ropes & slings. Penetrates to the core of the wire rope, whilst remaining on the outer strands.
- Water & chemical resistance for leather work boots
- Salt Spray tested to AS2331.3.1.
- Meets requirements of Mil-Spec MIL-C-16173 (Class II Grade 2 or 3)
- Non-Conductive to 70kV.
- Cable pulling lube.
- Resists high pressure wash-off.

ENVIRONMENTAL SOLUTIONS

- non DG
- non toxic
- food grade
- biodegradable
- salt & acid resistant
- environmentally certified
- silicon free

**CORROSION INHIBITOR • INDUSTRIAL GRADE PENETRANT • ANTI SEIZE
SALT & ACID RESISTANT • ELECTRICAL COMPONENT PROTECTION**

Available in 300g aerosol,
600ml spray pack, 5 and 10 litre bulk pack



NATURAL • ENVIRONMENTAL • SUSTAINABLE

STEEL-SEAL™

STEEL-SEAL™ LANOLIN BASED

Lanolin is a renewable resource

- Ideal corrosion protection for
 - 4WD, caravan and trailer underbodies.
 - Trucks
 - Tractors
 - Heavy industrial Plant & machinery
 - Parts storage protection
- For all metal surfaces in harsh environments where corrosion protection is essential.
- Lanotec Steel-Seal™ forms a clear protective skin which is salt, moisture, acid and fertilizer resistant.
- The Steel-Seal™ coating is self-sealing and will not flake or chip off.
- Resists high pressure wash off, so protects longer.
- Can be used on any type of bare, painted or pre-treated metal where corrosion protection is required.
- Steel-Seal™ can be applied to already rusted areas, to prevent the rust from spreading.
- Produces a protective skin with a reduced "tacky" effect normally experienced with lanolin products.
- Hermetically seals if Steel-Seal™ protected surface is scored or broken.
- Not recommended for new galvanised surfaces, use when galvanised surface becomes grey and powdery.

ENVIRONMENTAL SOLUTIONS

- Biodegradable
- Dielectric to 41kV
- Salt, acid & fertilizer resistant
- Adheres strongly to metal surfaces
- Safe in environmentally sensitive areas
- Silicon free
- Non DG

**SEALS AGAINST MOISTURE • STOPS RUST SPREADING • SELF SEALS
FORMS A PROTECTIVE SKIN • COMPLETE VEHICLE UNDERBODY PROTECTION**

Available in 300g aerosol,
600ml spray pack and 3, 5 and 10 litre bulk pack



NATURAL • ENVIRONMENTAL • SUSTAINABLE



CITRA-FORCE



INDUSTRIAL STRENGTH DEGREASER/CLEANER

**CLEANS MACHINERY, FLOORS, BENCHES, TILES ETC. • WATER SOLUBLE
BIODEGRADABLE & FOOD GRADE • NON FLAMMABLE & ORGANIC**

Available in 300g aerosol,
600ml spray pack, 5 and 10 litre bulk pack



CITRA-FORCE

A Blend of Organic Solvents

BREAKS DOWN/REMOVES

- Bitumen
- Waxes
- Oil
- Inks & permanent markers
- Grease out of concrete
- Paint overspray
- Shipping waxes
- Lanolin based products
- Adhesives
- Carbon
- Grease

ADDITIONAL BENEFITS

- Non streaking of alloys and stainless steel
- Non foaming
- Can be used in parts washers
- pH neutral (in a water emulsion)
- Quick breaker degreaser

DEGREASING OF

- Plant & Machinery
- PPE & webbing
- Foam & recyclable filters
- Workshop floors - including preparation of concrete floors for paint adhesion
- De-carbonising electric motors
- Stainless steel
- Aluminium
- Anodised surfaces
- Oil spill clean-up around waterways & animal life (diluted)

ENVIRONMENTAL SOLUTIONS

- non DG
- non toxic
- food grade
- biodegradable
- salt & acid resistant
- environmentally certified
- silicon free



NATURAL • ENVIRONMENTAL • SUSTAINABLE



TIMBER SEAL



**PROTECTS DRESSED TIMBER AND METAL FITTINGS • PREVENTS WOOD ROT
REPELS MOISTURE • OUTDOOR FURNITURE AND DECKING PROTECTION**

Available in
600ml spray pack, 5 and 10 litre bulk pack



TIMBER SEAL LANOLIN BASED

Lanolin is a natural wax

- Lanotec Timber Seal penetrates, preserves and maintains the natural look of external decking, outdoor furniture, fencing, gates, cladding, doors and windows.
- Better suited for use on dressed timber
- Penetrates the timber to enhance the protection.
- Prevents the timber from drying, splitting, cracking and wood rot.
- Repels moisture (you can see this effect when water hits the timber)
- Weatherproofs timber.
- Provides a clear, natural matt finish.
- Protects metal fittings and fasteners, screws and nails from corrosion.
- Contains UV protection.
- End grains are better protected by using Lanotec Type A Grease

TIMBER SEAL PLUS

For rough-sawn timber, Timber Seal Plus is recommended.

ENVIRONMENTAL SOLUTIONS

- non DG
- non toxic
- food grade
- biodegradable
- salt & acid resistant
- environmentally certified
- silicon free



NATURAL • ENVIRONMENTAL • SUSTAINABLE



TYPE 'A' GREASE

TYPE 'A' GREASE

Lanolin is a renewable resource

- Anti-seize
- Rubber grease
- Provides excellent corrosion protection in marine and harsh environments
- Stops electrolysis in dissimilar metals
- Stops moisture in multi-pin plugs
- Stops galling of stainless thread
- Ideal for leather dressing
- Battery terminal protection
- Belt dressing
- Never dries out
- Welding nozzle dip
- Cutting compound
- Metal to metal soft seal gasket
- Non toxic and non carcinogenic
- Biodegradable and environmentally friendly

ENVIRONMENTAL SOLUTIONS

- non toxic
- salt & acid resistant
- food grade
- environmentally certified
- biodegradable
- silicon free
- dielectric to 70kV

Type 'A' Grease is classified as non-hazardous in accordance with Australian GHS guidelines

CAUTION: Not recommended for use on high speed bearings

ANTI-SEIZE • ASSEMBLY LUBRICANT • CUTTING COMPOUND • RUBBER GREASE

Available in 250ml tube,
235 and 500ml tubs, 4 and 20 litre bulk pack



NATURAL • ENVIRONMENTAL • SUSTAINABLE

ANTI-SPATTER

ANTI-SPATTER

Lanolin is a renewable resource

- Non evaporative
- Suitable for mig and arc welding
- Protects surface areas from spatter
- Provides corrosion protection
- Does not affect galvanising process
- Can be used to protect and preserve welding gloves and aprons
- Can be used as a lubricant for drilling, tapping & pressing
- Test welds meet Standard AS/NZS 1554.1 2004 Category SP
- Ideal for confined spaces

ENVIRONMENTAL SOLUTIONS

- no Methylene Chloride
- non-carcinogenic
- silicon free
- biodegradable



**FOR MIG & ARC WELDING • CUTTING, TAPPING, DRILLING AND PRESSING LUBRICANT
• CORROSION PROTECTION FOR WELDING BEDS, ROBOTS & SPOT WELDERS**

Available in
600ml spray pack and 5 litre bulk pack



NATURAL • ENVIRONMENTAL • SUSTAINABLE



WIRE ROPE LUBE



INDUSTRIAL LUBRICANT • CORROSION INHIBITOR

Available in 20 litre bulk pack



WIRE ROPE LUBE

Lanolin is a renewable resource

- Unique lubrication and corrosion protection for wire ropes and chains in harsh environments
- Lubricates and protects wire ropes against the corrosive effects of salt water
- Penetrates to the core of the wire rope
- Best use on wire ropes above 16mm
- Ideal for use on high load industrial chains
- Ideal for use on rig and marine cranes
- Safe to use in and around waterways and coastal environments
- Highly resistant to wash-off

ENVIRONMENTAL SOLUTIONS

- non polluting
- moisture, salt, acid & fertiliser resistant
- biodegradable
- ideal for environmentally sensitive areas & waterways

Wire Rope Lube is classified as non-hazardous in accordance with Australian GHS guidelines



NATURAL • ENVIRONMENTAL • SUSTAINABLE



LANO-FORM

RELEASE AGENT



READY-TO-USE RELEASE AGENT

Available in 20 litre bulk pack
and 200 litre drum.



RELEASE AGENT CONCENTRATE

Available in
2.9, 5, 20, 200, 1000 litre bulk pack



LANO-FORM

*A ready-to-use, lanolin-based
concrete release agent.*

- Breaks concrete bonds
- Extends the life of timber and metal moulds
- Protects equipment from concrete and paint overspray
- Safe for use on PVC, fibreglass, polypropylene, rubbers and polystyrene
- AS4020:2018 certified for structures built to contain/hold drinking water
- Low suction between panels
- Resists rain wash off
- Non evaporative
- Lubricates & protects fittings

RELEASE AGENT

*A concentrate
(water to be added at 6:1)*

ENVIRONMENTAL SOLUTIONS

- non polluting
- moisture, salt, acid & fertiliser resistant
- biodegradable
- ideal for environmentally sensitive areas & waterways



NATURAL • ENVIRONMENTAL • SUSTAINABLE

